Subject Index[a]

Acetamide, 8 M, ribonuclease stabilization and, 21–22
Acetobacter oxydans, 396
Acetone-dried cells, dehydrogenase activity in, 107
Acetylcholine, affinity isolation of, 299–301
N-acetyl-DL-amino acids, acylase-catalyzed stereospecific hydrolise of, 78
N-acetyl-L-tyrosine ethyl ester, 31
Acid hydrolysis, ribonuclease thermoinactivation and, covalent changes responsible for, 24–25
Acid phosphatase
  as deactivation material, 9–10
  temperature dependence for, 11, *12*
Acremonium chrysogenum, 465
Active-site design, chemical mutation approach to, 322
Active-site tritration, as enzyme immobilization technique, 31
Acylamino-β-lactam acylhydrolase, phenoxymethylpenicillin synthesis using, 210–13
Acylase
  amino acid production using, 80–83
  systems, model conditions for, *82*
ADH, yeast extraction of, 286–88
Aerobacter aerogenes, 271
Affinity chromography, polysaccharide activation for, 254–56
Agar, plant-cell entrapment use of, *384*
Agarose, plant-cell entrapment use of, *384*
Agroindustrial by-products, microbial enzymes produced from, 110–14
Ajmalicine, price of, *383*
Alanine
  industrial production methods for, 78, *79*
  lactate transformation to, 91–92
  production of, 450–53
  residue parameters of, *4*
Alcohol
  fermentation of starch using, with immobilized cell/enzyme bioreactor, 148–51
  glucose conversion to, by *Saccharomyces cervisiae*, 421–22
  measurement of, electroenzymatic sensor for, 515–19
Algae, biochemical produces from, *240*
Alginate
  in butanediol production, 455
  plant-cell entrapment use of, *384*
Amino acids
  composition of, *272*
  N-acetyl-DL-derivative preparation of, 80–83
  dehydrogenases of, *196*
  groups, crosslinking of, 5
  hydrophobic, catalyzation reactions of, 95
  from hydroxy acid racemic mixture, 91–94
  industrial production methods for, *79*
  from keto acids, 84–85
  Mucor miehei analysis with, 340–42
  NADH-dependent, production of, 195
  polypeptide chains and sequence differences of, 3
  racemization of, 25
  replacement for, identification difficulties and, 3
  residue parameters of, *4*
  synthetase stability from, *46*
6-aminopenicillanic acid
  production of, 437–40
  semisynthetic penicillin produced from, 127
Aminopyridines, hydrolysis of, 310–15
Ammonia, 25
Ampicillin, semisynthesis of, 99, 102–3
Amylase
  aqueous two-phase systems for production of, using *Bacillus subtilis*, 115–18
  producing strains for, fermentation conditions of, 275–77
  production improvement for, polypepton fraction effective and, 278–81
Aniline, hydroxilation of, 215–16
Anionic-acrylamide, 9
Antibiotics
  lactam, kinetically controlled semisynthesis of, 99–105
  Streptomyces clavuligerus production of, 420
Apolar compounds, enzymatic reactions of, 549–58
Aqueous two-phase systems
  for amylase production, 115–18
  for starch to ethanol, 144–47
Arginine
  industrial production methods for, *79*
  residue parameters of, *4*

[a]An italicized page number refers to a table or figure.

Arrhenius law, 10
Arthrobacter simplex, 106–9
  steroid transformation using, 459–60
Asparaginase, stabilization of, 27–30
Asparagine
  deamidation of, 25
  replacement of, 3
  residue parameters for, *4*
Aspartame, enzymatic production of, 95–98
Aspartate
  industrial scale synthesis reaction with, 194
  residue parameters of, *4*
Aspartic acid
  industrial production methods for, *79*
  peptide bonds involving, 25
Aspergillus sp., 110
Aspergillus niger, 39, 282
ATP, regeneration of, for enzymatic synthesis, 257–58
ATPase F_1, stability of, *2*
Aureobasidium sp., 110
Azide concentrations, xylose utilization and, 153
Aztobacter vinelandii, 465

Bacillus acidopullulyticus, thermophilic pullulanases from, 271–74
Bacillus brevis, 44–47
Bacillus cereus, 278
Bacillus macerans, 70
Bacillus megaterium, 271
Bacillus mycoides, 271
Bacillus subtilis
  amylase production using, aqueous two-phase system for, 115–18
  biochemical products from, *240*
  production, purification, and immobilization of, 486–71
Bacteria
  biochemical products from, *240*
  enantioselective synthesis of PG-Nor by, *208*
  heat-dried, steroid-1-dehydrogenation using, 106–9
  lactic acid, applications of, 406–17
  photosynthetic, fuel cell using, 427–36
  storage stability of, 433
  thermophilic
    enzyme stability from, 3
    stress adaptation of, 1
  See also specific bacteria
Bakers' yeast
  ADH and hexokinase extraction from, 286–88
  keto ester reductions by, 186–93
Basidiomycetes, 131
Benzisoxazolcarboxylic acids, decarboxylation reactions of, 304–7
Bifunctional reagents, intramolecular cross-linking with, subunit enzyme stabilization by, 27–30
Binding, covalent, of biomolecules, 241–43
Binding groups, function of, 331
Biocatalysts, advantages and limitations of, 334–35, *335*
Biochemicals
  immobilized plant cells in production of, *386*
  production of, *240*
Bioconversion
  fermentation methods, *108*
  non-fermentation methods, *109*
Biofuels, production of, 481
Biohydrogenation reduction methods, in chiral compound preparation, 171–85
Bioligands, immobilization of, chromophoric sulfonyl chloride agarose for, 249–50
Biomolecules, covalent binding of, 241–43
Bioreactors
  cross-flow, 352–53
  fluid-agitated bed-type fermenter, reproductive immobilized cell study using, 349–50, *351*, 352
  heterogeneous, 541–48
  immobilized cell/enzyme
    alcohol fermentation with, 148–51
    comparison of, *360*
  microporous membrane, 558–68
  See also Reactors
Biosensors
  for fish freshness determination, 529–32
  hybrid, in fermentation, 508–11
Blood, alcohol in, electroenzymatic sensor for measurement of, 515–19
Boehringer Glucose Kit, 39
Brevibacterium, 197
Butanediol, *Enterobacter* sp., production of, 454–58

Calcitonin, as semisynthetic enzyme, 321
Calcium alginate gel, *Saccharomyces cerevisiae* immobilization in, 394–405
Calf alkaline phosphatase, residual activity in, *68*
Candida boidinii, 87
Candida cylindracea, 223
Candida tropicalis, xylitol to ethanol formation using, in pentose fermentation, 152–54
Carbecephem compounds, optically pure, synthesis of, 206–9
Carboniimide, 27

Carbohydrates, in chemical and fuel production, 161–63
Carbon
  FAD and glucose oxidase immobilization on, 520–22
  metabolism shift in, microbial enzyme activity and, 45
Carbonyl group compounds
  chiral alcohol hydrogenation to, *175*
  asymmetric reduction of, 186–93
Carboxyl esterases, catalyzation by, 219
Carboxyl groups, crosslinking of, 5
Cardenolide production, by *Digitalis lanata*, 491–95
Carnitine
  cholinesterase-catalyzed production of, 219
  fatty acid trasport role of, 186
Carrageenan, plant-cell entrapment use of, *384*
Carriers, synthetic, for enzymes, 251–53
Catalysts, synthetic hydrogenation, 334–39
Catharantus roseus, biochemical products from, *240*
Cell entrapment, 239–40
Cell homogenates, enzyme recovery from, 285–88
Cellobiose hydrolysis, mathematical model of, 41–42, *42*
Cells
  biocatalytic processes with, reaction kinetics and, 437–49
  gel entrapment of, 418–26
  growth of, product inhibition effect on, 353–55
  immobilization of, microbiological measurements by, 363–72
  living, applications of, 479–82
  metabolic behavior of, 475–78
  microbial
    ethanol production using, 394–405
    immobilization of, 420–22
    steroid transformation by, 459–60
  oxygen supply to, 472–74
  plant
    entrapment of, 481
    immobilized viable, 382–93
    immobilization methods for, 501–3
    metabolism of, 496–500
    polymers used for entrapment of, *384*
  procaryotic, growth of, 373–81
  reproductive immobilized, 347–62
Cellulase
  economics of recycling of, 155–57
  kinetics of, 158–60
Cellulose
  acid–catalyzed, kinetics of, 164–67
  hydrolysis of
    acid and enzymatic, 161–63
    data and model prediction in, *165*
    enzyme fate after, *155*
    kinetic parameters in, 166
  microcrystalline, hydrolysis of, 158–60
  in rice husks, 131
  saccharification of, glucose inhibition in, 39–43
Cellulose diacetate, in butanediol production, 455
Cephalosporinase, coupling of, 251
Ceramide glucosyl transferase, residual activity in, *68*
Cereals, hydrogenase activity in, 296–98
Chaotropic agents, enzyme stability to, 1
Chiral compounds
  enzymes for synthesis of, 194–205
  reduction methods for, 171–85
Chloramphenicol, synthetase and, 46, *46*
Chlorella vulgaris, biochemical products from, *240*
Cholesterol degradation, by *Nocardia*, 573–76
Cholinesterase, catalyzation with, 219
Chromography, affinity, polysaccharide activation for, 254–56
Chromophoric sulfonyl chloride agarose, for immobilizing bioligands, 249–50
Chymotrypsin
  coupling of, *251*
  deactivation of, kinetic and spectroscopy studies of, 31–38, *32*
  immobilized, properties of, *35*
  modification of, hexanal and, 343–46
  specific activity change in, 32–33, *32*
  spin-labeled, spectroscopy of, 33–35, *33*, *34*
Chymotrypsinogen, cystine destruction in, 24
Citronellol, carboxyl esterase-catalyzed resolution of, *220*
Clostridia, hydrogenase catalyzation in, *172*
Clostridium sp., 174
Codeine, price of, *383*
Cofactor regeneration, enzyme-coenzyme system use of, 259–63
Compaction, gel particle effectiveness factor effects from, 168–70
Conformational processes, irreversibility of, noncovalent forces and, 21
Continuous-flow reactors, fermentation by *Leuconostoc oenos* in, 461–64
Cornynebacterium simplex, 106–9
Corticoid-responsive diseases, steroids used for, 106
Covalent binding, of biomolecules, 241–43
Covalent mechanisms, enzyme inactivation and, 20
Creatinine, sensors for, 509–11
Cross-flow bioreactor, 352–53

Crosslinking, intramolecular, subunit enzyme stabilization and, 27–30
Cyclic backflushing, membrane life prolonged by, 79
Cyclodextrin
  pH activity profile of, *72*
  production of, by enzymatic starch degradation, 70–77
Cysteine
  industrial production methods for, *79*
  residue parameters of, *4*
  synthetase activity in, 45
Cystine
  elimination reactions in, 23–24
  industrial production methods for, *79*
Cytidine-5′-monophospho-N-acetyl-neuraminic acid galactosyl glucosylceramide sialyltransferase, residual activity in, 68
Cytochromes
  renaturation rate of, 1
  stability of, 4–5, *4*

Dairy industry, whey disposal in, 136
Daucus carota, 487
Deactivation kinetics, immobilization, chemical modifiers, enzyme aging and, 64–69
Decanol
  cyclodextrin thermal denaturation with, 71–73, *72, 73*
  mass transfer retarding effect of, at high enzyme concentrations, 75
Denaturation reactions, 1
Desulfovibrio desulfuricans, 292
Deuterated compounds, preparation of, 174
Dextrans, invertase stability and, 56
Dextransucrase, production and purification of, from *Leuconostoc mesenteroides,* 267–70
Dicarboxylic acids, intramolecular crosslinking tested with, 27–30
Digitalis lanata, cardenolide production by, 491–95
Digitoxin, price of, *383*
Dihydrolipoamide, thiol interchange with, 46
Dihydronicotinamide dinucleotide, oxidation of, 307–9
Diimidoesters, 27
Dimethyl pimelimidate, as crosslinking reagent, 28
Disease, cortocoid-responsive, steroids used for, 106
Disulfide bonds, reduction of, 21
DMSO, 389–90
DNA, mutagenic strategies of protein function and, 232–38

E. coli
  growth speed of, 363
  phenyl sepharose extraction of, 288
Electrical conductance, in microbiological measurement, 365–68
Electrodes
  oxalate-sensing, 512–14
  rotating ring disc, mass transport resistance studies using, 224–31
Electroenzymatic reduction methods, in chiral compound preparation, 171–85
Electroenzymatic sensors, for alcohol measurement, 515–19
Electromicrobial reduction methods, in chiral compound preparation, 171–85
Enantiomeric compounds, manufacture of, enzyme membrane reactor process for, 78–86
Enantioselective reductions, of keto esters, by bakers' yeast, 186–93
Enoate reductase, 176–79
Enoates, hydrogenation of, to chiral carboxylates, *173*
Enterobacter sp., butanediol production by, 454–58
Environmental paramaters, alteration of, in xylitol to ethanol formation, 152–54
Enzymes
  aging of, deactivation kinetics influence of immobilization, chemical modifiers and, 64–69
  catalytic properties of, 219–23
  in chiral compound synthesis, 194–205
  coenzyme complexes, 243–47
  coenzyme systems, cofactor regeneration in, 259–63
  conformational inactivation of, *28*
  coupling of, *251*
  electrodes for, sensors for, 523–25
  entrapped, catalysis by, 577–79
  gel entrapment of, 418–26
  immobilized, in flow injection analysis, 526–28
  immobilized cell reaction with, 450–53
  irreversible thermoinactivation of, mechanisms of, 20–26
  isolated, in NAD(P)H regeneration, 171–85
  membrane reactor scale-up process of, for enantiomeric compound manufacture, 78–86
  microbial, agroindustrial by-product production of, 110–14
  oligomeric, properties of, *28, 29*
  oxidase, 533–35
  recovery from microbial cell homogenates by, 285–88
  semisynthetic, 321–26

soluble and stabilized, thermal and chemical deactivation of, 7–19
stability of
and glucose inhibition in cellulose saccharification, 39–43
reaction rate reduction of, 17
strategies for increasing, 1–6
water activity effect on, 48–60
starch degradation of, cyclodextrin production by, 70–77
stereospecificity of, 199–200
subunit, intramolecular crosslinkings of, 27–30
support matrices for, mass transport resistance studies through, 224–31
synthesis of, ATP regeneration for, 257–58
synthetic carriers for, 251–53
thermal deactivation kinetics for, 7–9
thermal stability of, *40*
thrombolytic, substrate affinity for, 289–91
time-decaying activities of, effectiveness factors of, 13
Erwinia aroideae, acylamino-β-lactam acylhydrolase from, phenoxylmethylpenicillin synthesis using, 210–13
Erythritol, stabilizing effect of, 53–54
Esters, enzymatic synthesis of, 569–72
Ethanol
production of, immobilized cell use in, 394–405, 442–47
starch conversion to, 144–47
xylitol formation to, with *Candida tropicalis*, 152–54
Ethylene glycol, stabilizing effect of, 53–54
Eupenicillium javanicum, 158
Extraction, definition of, 78

Fatty acids, transport role of, carnitine role in, 186
Fermentation
air-life, 494
draft tube, 494
amylase producing strains and, 275–77
bioconversions for, *108*
of lactic acid, *376*
malolactic, by *Leuconostoc oenos*, 461–64
mechanically stirred, 494
process control in, hybrid biosensor for, 508–11
Fibril, cellulose, 159
Fish, freshness of, biosensor for, 529–32
Flavin, semisynthetic enzyme studies with, 322–24
Flavin adenine dinucleotide, immobilization on carbon of, 520–22
Fluoride ion selective senors, enzyme electrode based on, 523–25
Flor injection analysis, immobilized enzymes in, 526–28
Fluid-agitated bioreactor, 349–50, *351*, 352
Fructofuranosidase, inulin assay using, 504–7
Fuel cell systems, photosynthetic bacterial, 433–35
Fumeric acid, malic acid from, 83–84
Fungus, rice husk growth of, 133

Galactose oxidase, catalyzation of, 219
Galactosidase, immobilization of, 136
Gastrin, aspartame as methyl ester of, 95
Gelatin, in butanediol production, 455
Gel entrapment, of cells and enzymes, 418–26
Gel microdroplets, in microbiological measurement, 368–71, *369*, *370*
Gel particles, effectiveness factor of, compaction effects on, 168–70
Globular domains, enzyme structural feature and, 3
Gluconobacter oxydans, 472
biochemical products from, *240*
Glucose
alcohol conversion from, by *Saccharomyces cervisiae*, 421–22
concentration effects of, on reactor productivity, *377*
electroactivity of, 228
inhibition of, in cellulose saccharification, 39–43
Glucose oxidase
catalyzation of, 219
immobilization on carbon of, 520–22
ring-disc electrode attachment using, 227
Glucosidase, thermal deactivation of, 39–43
Glutamate, residue parameters of, *4*
Glutamic acid, industrial production methods for, *79*
Glutamine
deamidation of, 25
residue parameters of, *4*
Glutaraldehyde
enzyme crosslinkings by, 160
tyrosimase immobilization and, 66
Glutaredoxin, thiol interchange with, 46
Glutathione, thiol interchange with, 46
Glyceraldehyde-3 phosphate dehydrogenase, stabilization of, 27–30
Glycerides, synthesis of, by lipase, 558–68
Glycerol, stabilizing effect of, 53–54
Glycine, residue parameters of, *4*
Glycosidases, microbial, 282–84
Glyoxal, polyacrylamide-hydrazide crosslinking by, 419–20, *419*
Gramicidin S synthetase, stabilization of, 44–47
Guanidine hydrochloride, enzyme stability to, 1

6 M GuHCl, ribonuclease thermoinactivation effects of, 21–22

Hemicellulose, in rice husks, 131
Hemoglobin-containing systems, hydroxylation by, 214–18
Herpes simplex, 239
Hexanal, chymotrypsin modification and, 343–46
Hexokinase, yeast extraction of, 286–88
Histidine
  industrial production methods for, *79*
  residue parameters for, *4*
Hollow-fiber reactors, 373–81
  lactose hydrolysis in, 119–22
Homogenates, microbial cell, enzyme recovery from, 285–88
HPLC, cyclodextrin analysis by, 71
Hybrid biosensors, in fermentation, 508–11
Hydrocarbon micellar solutions, 549–58
Hydrocarbons, oxidation of, 541–48
Hydrogen
  bond distribution in, sucrose concentration and, 50
  organic acid production of, 428–31
  photosynthetic bacteria production of, 432–32
  production and uptake reactions of, enzyme kinetic parameters for, *294*
Hydrogenase, activity of, cereal expression of, 296–98
Hydrogenase catalyzed reactions, viologen mediator for, 292–95
Hydrogen peroxide, oxygen supply to cells using, 472–74
Hydrolysis
  cellobiose, mathematical model of, 41–42, *42*
  enzymatic, of lactose, 119–22
  of microcrystalline cellulose, by cellulase, 158–60
  of sucrose, 48-52, *49*, *50*, *51*
Hydrophobic molecules, chymotrypsin modification with, 343–46
Hydroxamate, 310
Hydroxy acids
  optically active, enzymatic production of, 87–90
  racemic mixture of, amino acids from, 91–94
2-hydroxyisocaproate dehydrogenases, 200–4
Hydroxylation
  by hemoglobin containing systems, 214–18
  protoplast immobilization and, 489–90
Hydroxylic groups, invertase stability and, 52–53

Imidazole, 310
Immobilization, new techniques of, 239–48
Immunoenzyme sensors, 533–35
Imprinting, molecular, 327–33
Indole solutions, chymotrypsin in, 33, *34*, *36*
Industrial catalysts, enzymes as, limitations of, 20–26
Inoculum, extracellular enzyme production effects of, *113*
Intramolecular crosslinking, with bifunctional reagents, subunit enzyme stabilization and, 27–30
Inulin assay, for renal clearance, 504–7
Invertase stability
  dextrans and, 56
  hydroxylic groups and, 52–53
  polyhydric alcohols and, 61–63
  poly(1,2-ethanediol) and, 54–56
Ionic detergents, enzyme stability to, 1
Isoleucine
  industrial production methods for, *79*
  residue parameters of *4*

Jasmine, price of, *383*

Keto acids, amino acids from, 84–85
Keto esters, enantioselective reductions of, by bakers' yeast, 186–93
Ketosteroids, reduction of, 551–52
Kidney acylase, amino acid production using, 80–83
Kinetics, chymotrypsin deactivation studied with, 31–38
Klebsiella pneumoniae, 70, 153, 454
Kluyvera citrophilia, 207–8

Lactam antibiotics, kinetically controlled semisynthesis of, 99–105
Lactamase, protein function study use of, 232–38
Lactase, kinetic parameters of, *120*
Lactate, alanine transformation from, 91–92
Lactate dehydrogenase, 198–99
Lactic acid
  fermentation systems for, *376*
  immobilized bacteria of, applications of, 406–17
  Lactobacillus delbrueckii production of, 374–79
Lactobacillus casei, 87
Lactobacillus confusus, 87, 200
Lactobacillus delbrueckii, lactic acid production by, 374–79
"Lactohyd," whey production using, 136–39

Lactose, enzymatic hydrolysis of, in hollow-fiber reactor, 119–22
LDH, residual activity in, *68*
Leucine
  industrial production methods for, *79*
  residue parameters of, *4*
  synthetic stabilization and, 46
Leuconostoc sp., 201
Leuconostoc mesenteroides, dextransucrase production from, 267–70
Leuconostoc oenos, malolactic fermentation by, 461–64
Levan sucrase, 468–71
Lignin, in rice husks, 131
Linoleic acid, oxidation of, 550–51
Lipase, glyceride synthesis by, 558–68
Liposomes, protein immobilization on, 580–81
Lithospermum erythrorhizon, 382
Liver microsomes, immobilization of, 423
Low water condition, acid-catalyzed cellulose hydrolysis under, 164–67
LSP 21, biochemical products from, *240*
Lysine
  industrial production methods for, *79*
  residue parameters of, *4*
Lysis, 489

Magnesium chloride, sucrose concentration and, 50
Malic acid
  decomposition of, 123
  from fumaric acid, 83–84
  industrial scale synthesis reaction with, 194
Mass transport resistances, rotating ring-disc electrode studies of, 224–31
Measurement, microbiological, by cell immobilization, 363–72
Meicelase, 158
Memory effect, origin of, 329–31
Mentha, monoterpene reduction by, 422–23
Mercaptan, 310
Methane, microbial transformation of, 541–48
Methantrophs, hydrocarbon oxidation by, 541–48
Methemoglobin, hydroxylation by, 214–18
Methionine
  acylase use production of, 80–83
  industrial production methods for, 78, *79*
  residue parameters of, *4*
Micelles, catalysis of enzymes entrapped in, 577–79
Michaelis constant, 41
Microbial acylase, amino acid production using, 80–83
Microbial cell homogenates, enzyme recovery from, 285–88
Microbial glycosidases, 282–84
Microorganisms, immobilization of, 465–67
Microsomes, liver, immobilization of, 423
Milk, prefermentation of, 412–15
MLA 144, biochemical products from, *240*
Molecular imprinting, 327–33
Molecules, hydrophobic, chymotrypsin modification with, 343–46
Monascus sp., 282
Monoterpene, *Mentha* reduction of, 422–23
Mucor miehei, amino acid and NMR analysis of, 340–42
Mushroom tyrosinase
  deactivation kinetics of, 66–69
  residual activity in, *68*
Mutagenic strategies, protein function studies by, 232–38
MUTMAC, 31
Mycobacterium sp.
  biochemical products of, *240*
  steroid reduction by, 420–21

NAD, reduction of, 179
NAD kinase, immobilization of, 264–66
Neurospora crassa, 3
Nitro-phenyl phosphate hydrolysis, 9–17
4-nitro-3-carboxytriflouroacetanilide, hydrolysis of, 314–15
NMR analysis, of *Mucor miehei*, 340–42
Nocardia sp., cholesterol degradation by, 573–76
Nylon affinity tubes, affinity isolation of acetylcholine with, 299–301
Nylon net, in butanediol production, 455

Oligonucleotide synthesis, 3
Oligosaccharides
  solid superacids for hydrolyzing of, 161–63
  starch conversion to, 140
Optical measurements, in microbiological measurement, 368
Ornithine, synthetase stabilization and, 46
Oxalate-sensing electrodes, 512–14
Oxidase, enzymes, 533–35
2-oxo-acid reductase, 176–79
Oxygen, supply to cells of, 472–74
Oxyhemoglobin, hydroxylation by, 214–18
Oxytetracycline, production of, 480–81

Palladium, adduct of, biocatalyst use of, 337
Papain, semisynthetic enzyme studies using, 322–24
Pectinase activity, 111

Pellicularia filamentosa, 158
Penicillin acylase
  coupling of, *251*
  immobilization of, in polarized ultrafiltration membrane reactor, 127–30
  penicillin G hydrolytic deacylation by, 206
Penicillin amidase, semisynthesis of, 99–102
Penicillin digitatum, 465
Pentose sugars, fermentation of
  in rice husks, 131
  xylitol to ethanol formation in, 152–54
Peptide bonds
  chymotrypsin-catalyzed synthesis of, 552–53
  cleavage of, 25
Peptides, kinetically controlled semisynthesis of, 99–105
Perfluorinated resin-sulfonic acid catalysts, chemical production utilization of, 161–63
Peroxidase, catalyzation with, 219
Phenols, isomeric, sulfatase-catalyzed separation of, 219
Phenoxymethylpenicillin, synthesis of, using α-amino-acylamino-β-lactam acylhydrolase, 210–13
Phenylacetic acid, in penicillin production, 128
Phenylalanine
  acylase use production of, 80–83
  industrial production methods for, 78, *79*
  residue parameters for, *4*
  synthetase stabilization and, 46
Phenyl lactic acid, production of, 87
Phenyl sepharose, *E. coli* protein extracted with, 288
pH extremes, enzyme stability to, 1
Plant protoplasts, immobilization of, 487–90
Plants
  cells of, immobilized viable, 382–93
  secondary products of, prices for, *383*
Plasminogen activators, activity assays for, 536–40
Polarized ultrafiltration cells, enzyme stabilization technique using, 7
Polyacrylamide hydrazide, gel entrapment of cells and enzymes in, 418–26
Polyacrylamides, 49
  in penicillin production, 129
  plant-cell entrapment use of, *384*
Polyethylenimines
  catalytic effectiveness of, *306*
  modified, conformation of, 315–18
Polyhydric alcohols, stabilizing effect of, 53–54, 61–63
Polymeric carriers, enzyme stabilization and, 27–30
Polymerization, enzyme structural feature and, 3
Polymers
  preparation of cavities in, by molecular imprinting, 327–29
  synthetic, 302–20
Polymer stability, 11–13, *12*
Poly(1,2-ethanediol), invertase stability and, 54–56
Polypeptide chains
  amino acid sequence differences and, 3
  length of, enzyme structural feature and, 3
  thermoinactivation mechanisms in, 20
Polypeptide entropy, 5
Polypepton fraction effective, amylase production and, 278–81
Polysaccharides
  activation of, and protein immobilization, 254–56
  renewable, utilization of, 140–43
  solid superacids for hydrolyzing of, 161–63
Polyunsaturated fatty acids, oxidation of, 550–51
Potassium ferricyanide, 33
Potassium ferrocyanide, mass transfer for, parameter values for, *230*
Potato starch, decanol substrate concentration with, 73–74
Prepolymerized polyacrylamide, plant-cell entrapment use of, *384*
Prepolymer methods, applications of cells immobilized by, 479–82
Procaryotic cells, growth of, 373–81
Proline
  industrial production methods for, *79*
  residue parameters of, *4*
  synthetase stabilization and, 46
Propanol, chymotrypsin deactivation and, 31
Protein A, extraction of, 285–86
Protein conformational transition, analysis of, *2*
Protein denaturants, enzyme stability to, 1
Proteins
  coupling of, to tresyl chloride activated supports, *242*
  covalent change in, enzyme inactivation as result of, 20
  crystallographic structures of, 3
  surface analysis of, 5
  function of, by mutagenic strategies, 232–38
  immobilization of
    on liposomes, 580–81
    polysaccharide activation and, 254–56
Proteus mirabilis, 177–78
Proteus vulgaris, 177–78
Protoplasts
  immobilization of, 487–90

immobilization methods for, comparison of, 501–3
Pseudomas putida, biochemical products from, *240*
Pseudomonas dacunhae, alanine production using, 450–53
Pseudomonas melanogenum, 206–7
Pullulanases
properties of, *283*
thermophilic, *Bacillus acidopullulyticus* and, 271–74
Pumice stone, transition metal-activated, yeast cell immobilization on, 483–86
Pyrethrins, price of, *383*
Pyridine, 310
Pyruvate, as intermediary in lactate to alanine transformation, 91–92

Quinine, price of, *383*

Racemization, of amino acid residues, 25
Reaction kinetics, biocatalytic processes with immobilized cells and, 437–49
Reactors
capillary membrane, characterization of, 123–26
continuous-flow, fermentation by *Leuconostoc oenos* in, 461–64
in ethanol production, 395–96
hollow-fiber, 373–81
lactose hydrolysis in, 119–22
polarized ultrafiltration membrane, penicillin immobilization in, 127–30
See also Bioreactors
Reductases, in chiral compound preparation, 171–85
Reductions, enantioselective, of keto esters, 186–93
Renal clearance, inulin assay for, 504–7
Reproductive immobilized cells, 347–62
Residue parameters, *4*
Resistance, mass transport, ring-disc electrode studies of, 224–31
Rhodospirillum rubrum, 427
Ribonuclease A
bovine pancreatic, enzyme thermoinactivation study use of, 20–26
irreversible thermoinactivation of, 21–25, *22*, *24*
Rice husks, pretreatment influence on, by *Sporotrichum pulverulentum*, 131–35
Ring-disceelectrodes, mass transport resistance studied with, 224–31

Saccharification, of cellulose, glucose inhibition in, 39–43
Saccharomyces cerevisiae, 148, 163, 186
ethanol production using, 394–405
glucose to alcohol conversions by, 421–22
reproductive immobilized cellular study with, 347–62
Secondary structural elements, enzyme structural feature and, 3
Sensors
electroenzymatic, for alcohol measurement, 515–19
fluoride ion selective, enzyme electrode based on, 523–25
immunoenzyme, 533–35
SEPARAN AP273, 9
Serine
industrial production methods for, *79*
residue parameters of, *4*
Shikonin, price of, *383*
Silica, in rice husks, 131
Spearmint, price of, *383*
Sodium chloride, superacid use with, 161–62
Sodium hydroxide, ligocellulosic pretreatment with, 133
Sorbitol, stabilizing effect of, 53–54
Soybean trypsin inhibitors, cystine destruction in, 24
Spectroscopy
chymotrypsin deactivation studied with, 31–38
nuclear magnetic resonance, 341
Sporotrichum pulverulentum, rice husk utilization by, pretreatment influence on, 131–35
Starch
alcohol fermentation of, with immobilized cell/enzyme bioreactor, 148–51
enzymatic degradation of, cyclodextrin production by, 70–77
ethanol conversion from, 144–47
hydrolysate of, *276*
liquefaction of, 140–43
Steroid-1-dehydrogenation, heat-dried bacteria for, 106–9
Steroids
hydroxylation of, 479–80
microbial cell transformation of, 459–60
Mycobacterium sp. reduction of, 420–21
Streptomyces clavuligerus, antibiotic production by, 420
Succinic acid, as crosslinking reagent, 28
Succinic anhydride, ribonuclease isoelectric point altered by, 22–23, *22*
Sucrose, hydrolysis of, 48–52, *49*, *50*, *51*
Sugars, starch conversion to, 144–47
Sulfatase, catalyzation with, 219
Sulfhydryls, intracellular, time course of, *45*
Sulfite, waste liquor from, lactic acid produced from, 411

Superacids, solid, in oligo- and polysaccharide hydrolyzation, 161–63
Synthetic carriers, for enzymes, 251–53
Synthetic hydrogenation catalysts, synzymes as, 334–39
Synthetic polymers, 302–20
Synzymes, as synthetic hydrogenation catalysts, 334–39

Temperature, cyclodextrin production influence from, *72*
Thermal deactivation kinetics, for enzymes, 7–9
Thermoanaerobacter cervisiae, 152
Thermoinactivation, irreversible, of enzymes, 20–26
Thermophilic pullulanases, *Bacillus acidopullulyticus* and, 271–74
Thiol, interchange of, 46
Thioredoxin, thiol interchange with, 46
Threonine
  industrial production methods for, *79*
  residue parameters of, *4*
Tissue plasminogen activators, activity assay for, 536–40
Tresyl chloride, support activation with, protein coupling and, *242*
Trichoderma koningii, 282
Trichoderma viride, 39, 41, 158
Triticum durum, 296
Trypsin, coupling of, *251*
Tryptophan
  industrial production methods for, 78, *79*
  production of, 440–42
  residue parameters of, *4*
Tyrosinases, deactivation kinetics of, 66–69
Tyrosinase, residual activity in, *68*
Tyrosine
  industrial production methods for, *79*
  residue parameters of, *4*

UDP glucose, residual activity in, *68*
Urea
  chemical denaturation by, 9
  enzyme reduction in, 22
  enzyme stability to, 1
  sensors for, 508–9
Urease, coupling of, *251*

Valine
  industrial production methods for, 78, *79*
  residue parameters of, *4*
  synthetase stabilization and, 46
Vincristine, price of, *383*
Vinylphenylboronic acid, ester linkages of, 328, *329*
Viologen mediators, for hydrogenase-catalyzed reactions, 292–95
Vitamin B_{12}, production of, 480

Water
  activity of, enzyme stability effect of, 48–60
  amylase production with, 115–18
  pectinolytic activity effect from, 111
Whey
  enzymatic hydrolysis of, 136–39
  as substrate in lactic acid production, 411–12
Wine, malic acid in, 123

Xanthan gum, plant-cell entrapment use of, *384*
Xanthine oxidase, catalyzation with, 219
Xylanase, 111, 112, *112*
Xylitol
  ethanol formation from, with *Candida tropicalis*, 152–54
  stabilizing effect of, 53–54
Xylose, butanediol effects of, 457, *457*

Yeast
  bakers', ADH and hexokinase extraction from, 286–88
  biochemical products from, *240*
  galactosidases of, 138
  immobilization of cells of, 483–86
  improvement of viability of, 397
  keto ester reductions by, 186–93

ZAPM, formation rate of, substrate concentration effects on, *96*